











105-E



### CARE INSTRUCTIONS



- DRY CLEAN RECOMMENDED.
- DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
- BEFORE STITCHING FABRIC SHOULD BE SOAKED IN WATER.
- WASH AND SOAK COLORED AND WHITE FABRICS SEPARATELY. DO NOT OVER EXPOSE DAMP FABRIC TO STRONG SUNLIGHT.
- IRON AT MODERATE TEMPERATURE





105-D



### CARE INSTRUCTIONS



- DRY CLEAN RECOMMENDED.
- DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
- BEFORE STITCHING FABRIC SHOULD BE SOAKED IN WATER.
- WASH AND SOAK COLORED AND WHITE FABRICS SEPARATELY. DO NOT OVER EXPOSE DAMP FABRIC TO STRONG SUNLIGHT.
- IRON AT MODERATE TEMPERATURE







105-C



### CARE INSTRUCTIONS



- DRY CLEAN RECOMMENDED.
- DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
- BEFORE STITCHING FABRIC SHOULD BE SOAKED IN WATER.
- WASH AND SOAK COLORED AND WHITE FABRICS SEPARATELY. DO NOT OVER EXPOSE DAMP FABRIC TO STRONG SUNLIGHT.
- IRON AT MODERATE TEMPERATURE





105-B



### CARE INSTRUCTIONS



- DRY CLEAN RECOMMENDED.
- DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
- BEFORE STITCHING FABRIC SHOULD BE SOAKED IN WATER.
- WASH AND SOAK COLORED AND WHITE FABRICS SEPARATELY. DO NOT OVER EXPOSE DAMP FABRIC TO STRONG SUNLIGHT.
- IRON AT MODERATE TEMPERATURE







105-A



### CARE INSTRUCTIONS



- DRY CLEAN RECOMMENDED.
- DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
- BEFORE STITCHING FABRIC SHOULD BE SOAKED IN WATER.
- WASH AND SOAK COLORED AND WHITE FABRICS SEPARATELY. DO NOT OVER EXPOSE DAMP FABRIC TO STRONG SUNLIGHT.
- IRON AT MODERATE TEMPERATURE

